

Department:
Cooperative Governance
REPUBLIC OF SOUTH AFRICA

Please do not make changes to the structure of this spreadsheet. The consultant formatting the all results questions is responsible for collecting this data.

Support Services

[illegible]

Examine Indicators The table below compares the indicators used in the two studies. The indicators are grouped into three categories: (1) indicators that are used in both studies, (2) indicators that are used only in the first study, and (3) indicators that are used only in the second study.

Dept. Name	State to be populated (if the point is defined (area = area))	State to be populated (if the point is not defined (area = 0))	State to be populated (if the point is not defined (area = 0))
	State to be populated (if the point is defined (area = area))	State to be populated (if the point is not defined (area = 0))	State to be populated (if the point is not defined (area = 0))

Will it be populated at the point of registration (i.e. all countries in the world)?

Yes and No. Trade flows where bid and offer are not used as components of the data otherwise

Do need the blank cells to be populated (very difficult)

c. Expand and collapse the header as needed with the `+` and `-`

Initial Voltage	5.00	V	5.00	V	5.00	V	5.00	V
Initial Current	0.00	A	0.00	A	0.00	A	0.00	A
Initial Power	0.00	W	0.00	W	0.00	W	0.00	W
Initial Energy	0.00	J	0.00	J	0.00	J	0.00	J
Initial Charge	0.00	C	0.00	C	0.00	C	0.00	C
Initial Frequency	0.00	Hz	0.00	Hz	0.00	Hz	0.00	Hz
Initial Period	0.00	s	0.00	s	0.00	s	0.00	s
Initial Wavelength	0.00	m	0.00	m	0.00	m	0.00	m
Initial Amplitude	0.00	m	0.00	m	0.00	m	0.00	m
Initial Phase	0.00	rad	0.00	rad	0.00	rad	0.00	rad
Initial Velocity	0.00	m/s	0.00	m/s	0.00	m/s	0.00	m/s
Initial Acceleration	0.00	m/s ²	0.00	m/s ²	0.00	m/s ²	0.00	m/s ²
Initial Force	0.00	N	0.00	N	0.00	N	0.00	N
Initial Torque	0.00	N·m	0.00	N·m	0.00	N·m	0.00	N·m
Initial Angular Velocity	0.00	rad/s	0.00	rad/s	0.00	rad/s	0.00	rad/s
Initial Angular Acceleration	0.00	rad/s ²	0.00	rad/s ²	0.00	rad/s ²	0.00	rad/s ²
Initial Momentum	0.00	kg·m/s	0.00	kg·m/s	0.00	kg·m/s	0.00	kg·m/s
Initial Impulse	0.00	N·s	0.00	N·s	0.00	N·s	0.00	N·s
Initial Work	0.00	J	0.00	J	0.00	J	0.00	J
Initial Heat	0.00	J	0.00	J	0.00	J	0.00	J
Initial Entropy	0.00	J/K	0.00	J/K	0.00	J/K	0.00	J/K
Initial Temperature	0.00	K	0.00	K	0.00	K	0.00	K
Initial Pressure	0.00	Pa	0.00	Pa	0.00	Pa	0.00	Pa
Initial Density	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³
Initial Mass	0.00	kg	0.00	kg	0.00	kg	0.00	kg
Initial Volume	0.00	m ³	0.00	m ³	0.00	m ³	0.00	m ³
Initial Surface Area	0.00	m ²	0.00	m ²	0.00	m ²	0.00	m ²
Initial Length	0.00	m	0.00	m	0.00	m	0.00	m
Initial Width	0.00	m	0.00	m	0.00	m	0.00	m
Initial Height	0.00	m	0.00	m	0.00	m	0.00	m
Initial Thickness	0.00	m	0.00	m	0.00	m	0.00	m
Initial Diameter	0.00	m	0.00	m	0.00	m	0.00	m
Initial Radius	0.00	m	0.00	m	0.00	m	0.00	m
Initial Circumference	0.00	m	0.00	m	0.00	m	0.00	m
Initial Area	0.00	m ²	0.00	m ²	0.00	m ²	0.00	m ²
Initial Perimeter	0.00	m	0.00	m	0.00	m	0.00	m
Initial Mass Density	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³
Initial Volume Density	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³
Initial Surface Density	0.00	kg/m ²	0.00	kg/m ²	0.00	kg/m ²	0.00	kg/m ²
Initial Line Density	0.00	kg/m	0.00	kg/m	0.00	kg/m	0.00	kg/m
Initial Point Density	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³	0.00	kg/m ³
Initial Mass Fraction	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Fraction	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Fraction	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Fraction	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Fraction	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ² /m ²
Initial Line Ratio	0.00	m/m	0.00	m/m	0.00	m/m	0.00	m/m
Initial Point Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Mass Ratio	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg	0.00	kg/kg
Initial Volume Ratio	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³	0.00	m ³ /m ³
Initial Surface Ratio	0.00	m ² /m ²	0.00	m ² /m ²	0.00	m ²		

[illegible]

100. Public Use Only: This is a list of all the names of the children who have been identified as being at risk of becoming a child in need. It is not a list of all the children who are in need, but a list of those who are at risk of becoming a child in need. The names are listed in alphabetical order of the child's name. The names are listed in alphabetical order of the child's name. The names are listed in alphabetical order of the child's name.

Signed: *[Signature]*
 Date: 04/09/2025

DATE

04/09/2025

100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----